

PKU Nutri 1 Energy

Food for special medical purposes. For the dietary management of proven **phenylketonuria (PKU)** in infants from birth to 12 months and as a supplementary feed up to 3 years. An amino acid based phenylalanine-free powdered infant formula containing essential and non-essential amino acids, carbohydrate, fat, vitamins, minerals and trace elements. Contains long chain polyunsaturated fatty acids (LCPs), docosahexaenoic acid (DHA) and arachidonic acid (ARA)

Important notice: For enteral use only. Not for parenteral use.* Must be used under medical supervision. Not suitable as a sole source of nutrition. Suitable for infants and as a supplementary feed for young children. **Suitable only for individuals with proven phenylketonuria.**

*except for the UK

Storage: Store in cool, dry place (<25 °C). Always replace container lid after use. Once opened reseal can and use within 1 month.

Precautions: This product should not be used as a sole source of protein but must be given in conjunction with a protein source e.g. breast milk or proprietary infant formula to supply the phenylalanine, fluid and general nutrition requirements of the infant in quantities as prescribed by a clinician or dietitian. For infants older than six months, appropriate supplementary food should also be given.

Suggested intake: The quantity of feed and the dilution should be determined by a clinician or dietitian only, and is dependent on age, bodyweight and medical condition of the patient. Recommended feed concentration is 13.8% w/v (i.e. 13.8 g of product made up to 100 ml with water). Osmolality at this concentration is 340 mOsmol/kg H₂O.

Ingredients: Dried Glucose Syrup, Refined Vegetable Oil (Non-hydrogenated Coconut Oil, High Oleic Sunflower Oil, Sunflower Oil, Canola Oil), L-Leucine, L-Lysine Acetate, Calcium Phosphate Dibasic, Tripotassium Citrate, L-Tyrosine, L-Glutamine, L-Proline, Emulsifier (E472c), L-Arginine, L-Valine, Glycine, L-Isoleucine, L-Aspartic Acid, L-Threonine, L-Serine, L-Histidine, L-Alanine, Sodium Chloride, L-Cystine, L-Tryptophan, Magnesium Chloride, Choline Bitartrate, L-Methionine, High Arachidonic Acid Single Cell Vegetable Oil, Magnesium L-Aspartate, High Docosahexaenoic Acid Single Cell Vegetable Oil, Tricalcium Citrate, M-Inositol, L-Ascorbic Acid, Taurine, Ferrous Sulphate, Zinc Sulphate, L-Carnitine, Nicotinamide, Calcium D-Pantothenate, Antioxidants (E304, E307, E306), DL-alpha Tocopheryl Acetate, Copper Sulphate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Manganese Sulphate, Vitamin A Acetate, Potassium Iodide, Folic Acid, Chromium Chloride, Vitamin K1, Sodium Selenite, Sodium Molybdate, D-Biotin, Vitamin D3, Cyanocobalamin.

| Unflavoured | Unit | Per 100 g powder |
|---------------------------|------|------------------|
| Energy | kJ | 2001 |
| | Kcal | 478 |
| Protein equivalent | g | 11.9 |
| Carbohydrate | g | 52.5 |
| Sugars | g | 4.7 |
| Fat | g | 24.5 |
| Saturates | g | 8.9 |
| Fibre | g | 0 |

| | | |
|------------------------------------|------------|------|
| Salt | g | 0.47 |
| Minerals and trace elements | | |
| Sodium | mg | 189 |
| | mmol | 8.2 |
| Potassium | mg | 525 |
| | mmol | 13.4 |
| Calcium | mg | 475 |
| | mmol | 11.8 |
| Magnesium | mg | 51.0 |
| | mmol | 2.1 |
| Phosphorus | mg | 341 |
| | mmol | 11.0 |
| Chloride | mg | 386 |
| | mmol | 10.9 |
| Iron | mg | 5.8 |
| Zinc | mg | 5.3 |
| Copper | mg | 0.41 |
| Iodine | µg | 100 |
| Manganese | mg | 0.20 |
| Chromium | µg | 10.6 |
| Molybdenum | µg | 11.3 |
| Selenium | µg | 14.5 |
| Vitamins | | |
| Vitamin A | µg RE/ER | 406 |
| Vitamin D | µg | 8.8 |
| Vitamin E | mg-α-TE/ET | 4.8 |
| Vitamin K | µg | 42.5 |
| Thiamin | mg | 0.54 |

| | | |
|--------------------|----------|------|
| Riboflavin | mg | 0.54 |
| Niacin | mg | 4.9 |
| | mg NE/EN | 9.6 |
| Vitamin B6 | mg | 0.54 |
| Folic acid | µg | 64.0 |
| Vitamin B12 | µg | 1.3 |
| Pantothenic acid | mg | 2.9 |
| Vitamin C | mg | 63.8 |
| Taurine | mg | 27 |
| L-Carnitine | mg | 10 |
| Choline | mg | 95.4 |
| Inositol | mg | 108 |
| Amino acids | | |
| L-Cystine | g | 0.36 |
| L-Histidine | g | 0.55 |
| L-Isoleucine | g | 0.85 |
| L-Leucine | g | 1.46 |
| L-Methionine | g | 0.23 |
| L-Phenylalanine | g | - |
| L-Threonine | g | 0.71 |
| L-Tryptophan | g | 0.28 |
| L-Tyrosine | g | 1.32 |
| L-Valine | g | 0.93 |
| L-Alanine | g | 0.54 |
| L-Arginine | g | 0.96 |
| L-Aspartic acid | g | 0.90 |
| L-Glutamine | g | 1.22 |
| L-Proline | g | 1.02 |
| L-Serine | g | 0.63 |
| Glycine | g | 0.84 |
| L-Lysine | g | 0.99 |

Packaging

PKU Nutri 1 Energy is a powdered product presented in a 400g e can.

Best Before

See base of can.

Produced by

SHS International Ltd., 100 Wavertree Boulevard, Liverpool L7 9 PT, UK.

PKU Nutri 2 Energy

Food for special medical purposes. For the dietary management of proven **phenylketonuria (PKU)** in children over 1 year of age. A phenylalanine-free powder drink mix containing a balanced mix of the other essential and non-essential amino acids, carbohydrates, fat, vitamins, minerals, trace elements.

With sugars and sweetener.*

* for flavoured variant only.

Flavours: unflavoured and orange.

Important notice: For enteral use only. Not for parenteral use.* Must be used under medical supervision. Not suitable as a sole source of nutrition. Suitable for children over 1 year of age.
Suitable only for individuals with proven phenylketonuria.

Storage: Store in cool dry place (<25 oC). Always replace container lid after use. Once opened reseal can and use within 1 month.

Precautions: The product should not be used as a sole source of protein but must be given in conjunction with natural protein and other nutrients to supply the phenylalanine, fluid and general nutrition requirements of the patient in medically prescribed quantities.

Suggested intake: The quantity of feed and the dilution should be determined by a clinician or dietitian only, and is dependent on age, bodyweight and medical condition of the patient.

Recommended feed concentration: It is recommended that the patient starts at a 1 to 5 dilution and builds up to a 1 to 4 dilution.

Osmolality (Unflavoured)

1 to 5 (i.e. 100 g powder plus 500 ml water) = 720 mOsmol/kg H₂O

1 to 4 (i.e. 100 g powder plus 400 ml water) = 910 mOsmol/kg H₂O

Osmolality (Orange flavour)

1 to 5 (i.e. 100 g powder plus 500 ml water) = 770 mOsmol/kg H₂O

1 to 4 (i.e. 100 g powder plus 400 ml water) = 980 mOsmol/kg H₂O

These dilutions are guidelines only. Can be taken as a more concentrated drink or paste, but additional water or diluted drinks must be taken at the same time.

Ingredients for unflavoured:

Dried Glucose Syrup, Refined Vegetable Oil (Canola, High Oleic Safflower, Medium Chain Triglycerides (Palm Kernel and/or Coconut Oil)), L-Glutamine, L-Proline, L-Asparagine, L-Lysine Hydrochloride, Tripotassium Citrate, L-Tyrosine, L-Leucine, Disodium Hydrogen Phosphate, L-Serine, L-Valine, L-Isoleucine, Tricalcium Citrate, Calcium Phosphate Tribasic, L-Alanine, L-Threonine, Sugar, Magnesium Hydrogen Phosphate, L-Arginine, L-Citrulline, L-Cystine, Choline Bitartrate, Taurine, Emulsifier (E472c), L-Histidine, L-Methionine, L-Tryptophan, L-Ascorbic Acid, M-Inositol, Ferrous Sulphate, Zinc Sulphate, L-Carnitine, DL-alpha Tocopheryl Acetate, Manganese Sulphate, Nicotinamide, Calcium-D-Pantothenate, Copper Sulphate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Acetate, Folic Acid, Potassium Iodide, Sodium Selenite, Chromium Chloride, Sodium Molybdate, Vitamin K1, D-Biotin, Vitamin D3, Cyanocobalamin.

| Unflavoured | Unit | Per 100 g powder |
|------------------------------------|------|------------------|
| Energy | kJ | 1691 |
| | Kcal | 402 |
| Protein equivalent | g | 27 |
| Carbohydrate | g | 42 |
| Sugars | g | 4.7 |
| Fat | g | 14 |
| Saturates | g | 1.6 |
| Fibre | g | 0 |
| Salt | g | 1.59 |
| Minerals and trace elements | | |
| Sodium | mg | 636 |
| | mmol | 27.7 |
| Potassium | mg | 914 |
| | mmol | 23.4 |
| Calcium | mg | 883 |
| | mmol | 22.0 |
| Magnesium | mg | 140 |
| | mmol | 5.8 |
| Phosphorus | mg | 883 |
| | mmol | 22.0 |
| Chloride | mg | 511 |
| | mmol | 14.4 |
| Iron | mg | 15.3 |
| Zinc | mg | 12.0 |
| Copper | mg | 1.2 |
| Iodine | µg | 144 |
| Manganese | mg | 2.3 |

| | | |
|--------------------|------------|------|
| Chromium | µg | 24.5 |
| Molybdenum | µg | 37.6 |
| Selenium | µg | 45.6 |
| Vitamins | | |
| Vitamin A | µg RE/ER | 500 |
| Vitamin D | µg | 12 |
| Vitamin E | mg-α-TE/ET | 9.6 |
| Vitamin K | µg | 48 |
| Thiamin | mg | 0.8 |
| Riboflavin | mg | 0.8 |
| Niacin | mg | 5 |
| | mg NE/EN | 10.8 |
| Vitamin B6 | mg | 0.8 |
| Folic acid | µg | 240 |
| Vitamin B12 | µg | 2 |
| Pantothenic acid | mg | 3.2 |
| Vitamin C | mg | 62.5 |
| Taurine | mg | 680 |
| L-Carnitine | mg | 32 |
| Choline | mg | 250 |
| Inositol | mg | 56 |
| Amino acids | | |
| L-Citrulline | g | 0.84 |
| L-Cystine | g | 0.78 |
| L-Histidine | g | 0.58 |
| L-Isoleucine | g | 1.87 |
| L-Leucine | g | 2.08 |
| L-Methionine | g | 0.53 |
| L-Phenylalanine | g | - |
| L-Threonine | g | 1.04 |
| L-Tryptophan | g | 0.35 |
| L-Tyrosine | g | 2.39 |
| L-Valine | g | 1.87 |
| L-Alanine | g | 1.45 |
| L-Arginine | g | 0.84 |
| L-Asparagine | g | 2.60 |

| | | |
|-------------|---|------|
| L-Glutamine | g | 5.55 |
| L-Proline | g | 3.85 |
| L-Serine | g | 1.87 |

Packaging

PKU Nutri 2 Energy is a powdered product presented in a 454g e can.

Best before

See base of can.

Produced by

SHS International Ltd., 100 Wavertree Boulevard, Liverpool L7 9PT, UK.

PKU Nutri 3 Energy

Food for special medical purposes. For the dietary management of proven **phenylketonuria (PKU)** in children over 9 years of age and adults, including pregnant women. A phenylalanine-free powder drink mix containing a balanced mix of the other essential and non-essential amino acids, carbohydrates, fat, vitamins, minerals, trace elements. With sugars and sweetener*
For flavoured variety only.

Flavours: unflavoured and orange.

Important notice: For enteral use only. Not for parenteral use. Must be used under medical supervision. Not suitable as a sole source of nutrition. Suitable for children over 9 years and adults, including pregnant women. **Suitable only for individuals with proven phenylketonuria.**

Storage: Store in cool, dry place (<25 oC). Always replace container lid after use. Once opened reseal can and use within 1 month.

Precautions: The product should not be used as a sole source of protein but must be given in conjunction with natural protein and other nutrients to supply the phenylalanine, fluid and general nutrition requirements of the patient in medically prescribed quantities.

Suggested intake: The quantity of feed and the dilution should be determined by a clinician or dietitian only, and is dependent on age, bodyweight and medical condition of the patient.

Recommended feed concentration: It is recommended that the patient starts at a 1 to 5 dilution and builds up to a 1 to 4 dilution.

Osmolality (Unflavoured)

1 to 5 (i.e. 100 g powder plus 500 ml water) = 830 mOsmol/kg H₂O

1 to 4 (i.e. 100 g powder plus 400 ml water) = 1060 mOsmol/kg H₂O

Osmolality (Orange flavour)

1 to 5 (i.e. 100 g powder plus 500 ml water) = 890 mOsmol/kg H₂O

1 to 4 (i.e. 100 g powder plus 400 ml water) = 1100 mOsmol/kg H₂O

These dilutions are guidelines only. Can be taken as a more concentrated drink or paste, but additional water or diluted drinks must be taken at the same time.

Ingredients for unflavoured

Dried Glucose Syrup, Refined Vegetable Oil (Canola, High Oleic Safflower, Medium Chain Triglycerides (Palm Kernel and/or Coconut Oil)), L-Lysine L-Aspartate, L-Glutamine, L-Leucine, L-Tyrosine, L-Proline, L-Arginine, L-Valine, Glycine, L-Isoleucine, Magnesium Hydrogen Phosphate, L-Threonine, Tricalcium Citrate, Calcium Phosphate Tribasic, L-Serine, Disodium Hydrogen Phosphate, L-Histidine, L-Alanine, Potassium Chloride, Choline Bitartrate, L-Cystine, L-Tryptophan, Sugar, L-Methionine, L-Lysine Acetate, Emulsifier (E472c), Tripotassium Citrate, Taurine, L-Ascorbic Acid, M-Inositol, Ferrous Sulphate, L-Carnitine, Zinc Sulphate, DL-Alpha Tocopheryl Acetate, Manganese Sulphate, Nicotinamide, Calcium D-Pantothenate, Copper Sulphate, Pyridoxine Hydrochloride, Thiamine Hydrochloride, Riboflavin, Vitamin A Acetate, Folic Acid, Potassium Iodide, Chromium Chloride, Sodium Selenite, Sodium Molybdate, Vitamin K1, D-Biotin, Vitamin D3, Cyanocobalamin.

| Unflavoured | Unit | Per 100 g powder |
|---------------|------|------------------|
| Energy | kJ | 1629 |
| | Kcal | 387 |

| | | |
|------------------------------------|----------|------|
| Protein equivalent | g | 35.4 |
| Carbohydrate | g | 33 |
| Sugars | g | 3.6 |
| Fat | g | 12.6 |
| Saturates | g | 1.4 |
| Fibre | g | 0 |
| Salt | g | 1.35 |
| Minerals and trace elements | | |
| Sodium | mg | 540 |
| | mmol | 23.5 |
| Potassium | mg | 673 |
| | mmol | 17.2 |
| Calcium | mg | 1138 |
| | mmol | 28.4 |
| Magnesium | mg | 293 |
| | mmol | 12.1 |
| Phosphorus | mg | 1103 |
| | mmol | 35.6 |
| Chloride | mg | 539 |
| | mmol | 15.2 |
| Iron | mg | 14.3 |
| Zinc | mg | 8.7 |
| Copper | mg | 0.86 |
| Iodine | µg | 115 |
| Manganese | mg | 1.9 |
| Chromium | µg | 26.6 |
| Molybdenum | µg | 37.5 |
| Selenium | µg | 58.4 |
| Vitamins | | |
| Vitamin A | µg RE/ER | 586 |

| | | |
|--------------------|------------|------|
| Vitamin D | µg | 7.3 |
| Vitamin E | mg-α-TE/ET | 10.9 |
| Vitamin K | µg | 71.8 |
| Thiamin | mg | 0.8 |
| Riboflavin | mg | 0.85 |
| Niacin | mg | 5 |
| | mg NE/EN | 18.7 |
| Vitamin B6 | mg | 1.4 |
| Folic acid | µg | 430 |
| Vitamin B12 | µg | 2.7 |
| Pantothenic acid | mg | 4.3 |
| Vitamin C | mg | 54.3 |
| Taurine | mg | 130 |
| L-Carnitine | mg | 36 |
| Choline | mg | 376 |
| Inositol | mg | 70 |
| Amino acids | | |
| L-Cystine | g | 1.01 |
| L-Histidine | g | 1.56 |
| L-Isoleucine | g | 2.46 |
| L-Leucine | g | 4.15 |
| L-Methionine | g | 0.67 |
| L-Phenylalanine | g | - |
| L-Threonine | g | 2.02 |
| L-Tryptophan | g | 0.82 |
| L-Tyrosine | g | 3.70 |
| L-Valine | g | 2.69 |
| L-Alanine | g | 1.46 |
| L-Arginine | g | 2.80 |
| L-Aspartic acid | g | 2.58 |
| L-Glutamine | g | 4.48 |
| Glycine | g | 2.58 |
| L-Proline | g | 2.91 |
| L-Serine | g | 1.86 |

Packaging

PKU Nutri 3 Energy is a powdered product presented in a 454g e can.



Best before

See base of can.

Produced by

SHS International Ltd., 100 Wavertree Boulevard, Liverpool L7 9PT, UK.

PKU Nutri 1 Concentrated

Food for special medical purposes. For the dietary management of **phenylketonuria (PKU) and hyperphenylalaninaemia (HPA)** in infants. A phenylalanine-free powdered mixture of amino acids with carbohydrate, vitamins, minerals and trace elements.

Flavours: unflavoured

Important notice: For enteral use only. Not for parenteral use.* Must be used under medical supervision.

Not suitable as a sole source of nutrition. Suitable for infants. **Only to be used by individuals with PKU/HPA.**

*except for the UK.

Precautions: Diets with this product must contain adequate amounts of energy, essential fatty acids and phenylalanine to meet daily requirements.

Suggested Intake: Should be determined by a clinician or dietitian only, and is dependent on age, bodyweight, and medical condition of the patient. The daily amount should be adjusted regularly under medical supervision.

Preparation and Administration: The suggested intake should be divided into 3 to 5 equal portions distributed throughout the day. The product should be taken mixed with calculated amounts of other food or drinks e.g. water, infant formula, fruit puree. If added to infant formula, follow strict hygienic measures to prevent contamination. Use immediately after reconstitution. Refer to infant formula manufacturer's instructions for correct preparation and use.

Do not allow prolonged or frequent contact of feeds with your baby's teeth. Clean teeth after last feed at night.

Storage: Store in a cool, dry place (<25°C). Always replace container lid after use. Once opened, use within 4 weeks.

Ingredients: Maltodextrin, L-lysine L-glutamate, L-glutamic acid, L-leucine, tri potassium citrate, L-proline, calcium phosphate dibasic, L-valine, L-isoleucine, L-tyrosine, magnesium L-aspartate, L-serine, L-aspartic acid, L-threonine, L-alanine, choline bitartrate, L-arginine, sodium chloride, glycine, L-cystine, L-histidine, L-methionine, calcium carbonate, L-tryptophan, potassium chloride, inositol, taurine, L-ascorbic acid, L-carnitine-L-tartrate, ferrous sulphate, zinc sulphate, DL- α -tocopheryl acetate, nicotinamide, calcium D-pantothenate, copper sulphate, thiamin mononitrate, vitamin A acetate, riboflavin, pyridoxine hydrochloride, sodium fluoride, manganese sulphate, chromium chloride, potassium iodide, folic acid, sodium molybdate, sodium selenite, D-biotin, vitamin D3, vitamin K1, cyanocobalamin.

| | Unit | Per 100 g powder |
|---------------------------|------|------------------|
| Energy | kJ | 1285 |
| | kcal | 302 |
| Protein equivalent | g | 50 |
| Carbohydrate | g | 25.6 |

| | | |
|------------------------------------|----------|------|
| Sugars | g | 0.9 |
| Fat | g | 0 |
| Saturates | g | 0 |
| Fibre | g | 0 |
| Salt | g | 1.75 |
| Minerals and trace elements | | |
| Sodium | mg | 700 |
| | mmol | 30.4 |
| Potassium | mg | 2250 |
| | mmol | 57.5 |
| Calcium | mg | 1925 |
| | mmol | 48 |
| Magnesium | mg | 240 |
| | mmol | 9.9 |
| Phosphorus | mg | 1146 |
| | mmol | 37 |
| Chloride | mg | 1400 |
| | mmol | 39.4 |
| Iron | mg | 35 |
| Zinc | mg | 16.5 |
| Copper | mg | 1.8 |
| Iodine | µg | 300 |
| Manganese | mg | 2.5 |
| Chromium | µg | 80 |
| Fluoride | mg | 0.5 |
| Molybdenum | µg | 100 |
| Selenium | µg | 60 |
| Vitamins | | |
| Vitamin A | µg RE/ER | 1900 |
| Vitamin D | µg | 42.5 |

| | | |
|--------------------|---------------------|------|
| Vitamin E | mg- α -TE/ET | 16 |
| Vitamin K | μ g | 35 |
| Thiamin | mg | 2 |
| Riboflavin | mg | 2.25 |
| Niacin | mg | 22.5 |
| | mg NE/EN | 38.5 |
| Vitamin B6 | mg | 1.75 |
| Folic acid | μ g | 250 |
| Vitamin B12 | μ g | 4.25 |
| Pantothenic acid | mg | 15 |
| Vitamin C | mg | 100 |
| Taurine | mg | 235 |
| L-Carnitine | mg | 75 |
| Choline | mg | 700 |
| Inositol | mg | 450 |
| Amino acids | | |
| L-Cystine | g | 1.3 |
| L-Histidine | g | 1.3 |
| L-Isoleucine | g | 3.3 |
| L-Leucine | g | 5.4 |
| L-Lysine | g | 3.8 |
| L-Methionine | g | 1.3 |
| L-Phenylalanine | g | - |
| L-Threonine | g | 2.6 |
| L-Tryptophan | g | 1 |
| L-Tyrosine | g | 3.2 |
| L-Valine | g | 3.8 |
| L-Alanine | g | 2.4 |
| L-Arginine | g | 2 |
| L-Aspartic acid | g | 5.5 |
| L-Glutamic acid | g | 11.6 |
| Glycine | g | 1.4 |
| L-Proline | g | 5.2 |
| L-Serine | g | 2.9 |

Packaging

PKU Nutri 1 Concentrated is a powdered product presented in a 500 g e can.

Best before



See base of can.

Produced by

SHS International Ltd., 100 Wavertree Boulevard, Liverpool L7 9PT.

PKU Nutri 2 Concentrated

Food for special medical purposes. For the dietary management of **phenylketonuria (PKU) and hyperphenylalaninaemia (HPA)** in children over 1 year of age. A phenylalanine-free powdered mixture of amino acids with carbohydrate, vitamins, minerals and trace elements.

Important notice: For enteral use only. Not for parenteral use.* Must be used under medical supervision. Not suitable as a sole source of nutrition. Suitable for children over 1 year of age. **Only to be used by individuals with PKU/HPA.**

*except for the UK

Precautions: Diets with this product must contain adequate amounts of energy, essential fatty acids and phenylalanine to meet daily requirements.

Suggested Intake: Should be determined by a clinician or dietitian only, and is dependent on age, bodyweight, and medical condition of the patient. The daily amount should be adjusted regularly under medical supervision.

Preparation and Administration: The suggested intake should be divided into 3 to 5 equal portions distributed throughout the day. The product should be taken mixed with calculated amounts of other food or drinks e.g. water, fruit juice, fruit puree.

Storage: Store in a cool, dry place (<25°C). Always replace container lid after use. Once opened, use within 4 weeks.

Ingredients: Maltodextrin, L-lysine L-glutamate, L-glutamic acid, L-leucine, L-proline, calcium phosphate tri basic, L-valine, magnesium L-aspartate, L-isoleucine, L-tyrosine, L-serine, L-aspartic acid, L-threonine, L-alanine, potassium phosphate dibasic, L-arginine, tri sodium citrate, choline bitartrate, calcium chloride, L-methionine, glycine, L-cystine, L-histidine, L-tryptophan, inositol, L-ascorbic acid, L-carnitine, calcium carbonate, ferrous sulphate, zinc sulphate, flavouring (vanillin), DL- α -tocopheryl acetate, nicotinamide, calcium D-pantothenate, manganese sulphate, copper sulphate, sodium fluoride, thiamin mononitrate, pyridoxine hydrochloride, riboflavin, vitamin A acetate, chromium chloride, potassium iodide, folic acid, ammonium molybdate, sodium selenite, D-biotin, vitamin K1, vitamin D3, cyanocobalamin.

| | Unit | Per 100 g powder |
|------------------------------------|------|------------------|
| Energy | kJ | 1239 |
| | kcal | 292 |
| Protein equivalent | g | 60 |
| Carbohydrate | g | 12.9 |
| Sugars | g | 0.42 |
| Fat | g | 0 |
| Saturates | g | 0 |
| Fibre | g | 0 |
| Salt | g | 1.4 |
| Minerals and trace elements | | |
| Sodium | mg | 541 |
| | mmol | 23.5 |
| Potassium | mg | 1200 |

| | | |
|-----------------|------------|------|
| | mmol | 30.7 |
| Calcium | mg | 2299 |
| | mmol | 57.3 |
| Magnesium | mg | 315 |
| | mmol | 13 |
| Phosphorus | mg | 1380 |
| | mmol | 44.5 |
| Chloride | mg | 902 |
| | mmol | 25.4 |
| Iron | mg | 27 |
| Zinc | mg | 19.8 |
| Copper | mg | 2.1 |
| Iodine | µg | 323 |
| Manganese | mg | 3.6 |
| Chromium | µg | 90 |
| Fluoride | mg | 1.53 |
| Molybdenum | µg | 94.8 |
| Selenium | µg | 54 |
| Vitamins | | |
| Vitamin A | µg RE/ER | 1800 |
| Vitamin D | µg | 42 |
| Vitamin E | mg-α-TE/ET | 19.2 |
| Vitamin K | µg | 51.1 |
| Thiamin | mg | 2.3 |
| Riboflavin | mg | 2.4 |
| Niacin | mg | 22.8 |
| | mg NE/EN | 43.6 |

| | | |
|--------------------|----|------|
| Vitamin B6 | mg | 2.1 |
| Folic acid | µg | 230 |
| Biotin | µg | 60 |
| Vitamin B12 | µg | 4.5 |
| Pantothenic acid | mg | 11.4 |
| Vitamin C | mg | 90 |
| L-Carnitine | mg | 90 |
| Choline | mg | 780 |
| Inositol | mg | 270 |
| Amino acids | | |
| L-Cystine | g | 1.5 |
| L-Histidine | g | 1.5 |
| L-Isoleucine | g | 3.9 |
| L-Leucine | g | 6.6 |
| L-Lysine | g | 4.7 |
| L-Methionine | g | 1.5 |
| L-Phenylalanine | g | - |
| L-Threonine | g | 3.1 |
| L-Tryptophan | g | 1.3 |
| L-Tyrosine | g | 3.9 |
| L-Valine | g | 4.7 |
| L-Alanine | g | 2.7 |
| L-Arginine | g | 2.3 |
| L-Aspartic acid | g | 6.6 |
| L-Glutamic acid | g | 14 |
| Glycine | g | 1.5 |
| L-Proline | g | 6.2 |
| L-Serine | g | 3.5 |

Packaging

PKU Nutri 2 Concentrated is a powdered product presented in a 500g e can.

Best before

See base of can.

Produced by

SHS International Ltd., 100 Wavertree Boulevard, Liverpool L7 9PT, UK.

